



Wi-Fi CERTIFIED™ Certificate

This certificate lists the features that have successfully completed Wi-Fi Alliance interoperability testing. Learn more: www.wi-fi.org/certification/programs



Certification ID: WFA114775

Product Info

| | |
|------------------------------|---|
| Date of Certification | March 17, 2022 |
| Company | Cisco Systems |
| Product Name | Cisco Catalyst 9800-L Wireless Controller and Cisco C9136I AP |
| Product Model Variant | Cisco IOS XE: 17.8 |
| Model Number | C9800-L and C9136I |
| Category | Routers |
| Sub-category | Enterprise/Service Provider Access Point, Switch/Controller or Router |

Summary of Certifications

| CLASSIFICATION | CERTIFICATION |
|---------------------|--|
| Connectivity | 2.4 GHz Spectrum Capabilities 5 GHz Spectrum Capabilities 6 GHz Spectrum Capabilities Wi-Fi CERTIFIED 6™ Wi-Fi CERTIFIED™ a Wi-Fi CERTIFIED™ ac Wi-Fi CERTIFIED™ b Wi-Fi CERTIFIED™ g Wi-Fi CERTIFIED™ n Wi-Fi Enhanced Open™ 2021-01 |
| Optimization | WMM® WMM®-Power Save Wi-Fi Agile Multiband™ |
| Security | Protected Management Frames WPA2™-Enterprise 2018-04 WPA2™-Personal 2021-01 WPA3™-Enterprise 2020-02 WPA3™-Personal 2020-12 WPA™-Enterprise WPA™-Personal |



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114775



Summary of Certifications (continued)

Page 2 of 4

CLASSIFICATION

CERTIFICATION

Spectrum & Regulatory
Features

Spectrum & Regulatory



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114775



Role: Access Point

Page 3 of 4

Wi-Fi Components

Wi-Fi Component Operating System

Linux, Version: 17.8

Wi-Fi Component Firmware

17.8

RF Architecture

| Bands Supported | Transmit (Tx) | Receive (Rx) |
|-----------------|---------------|--------------|
| 2.4 GHz | 4 | 4 |
| 5 GHz | 8 | 8 |
| 6 GHz | 4 | 4 |

Certifications

2.4 GHz Spectrum Capabilities

20 MHz Channel Width in 2.4 GHz

Spectrum & Regulatory (continued)

802.11h

5 GHz Spectrum Capabilities

20 MHz Channel Width in 5 GHz

40 MHz Channel Width in 5 GHz

80 MHz Channel Width in 5 GHz

160 MHz Channel Width in 5 GHz

WMM®

WMM®-Power Save

Legacy Power Save

Unschedule auto PS

6 GHz Spectrum Capabilities

20 MHz Channel Width in 6 GHz

40 MHz Channel Width in 6 GHz

80 MHz Channel Width in 6 GHz

160 MHz Channel Width in 6 GHz

WPA2™-Enterprise 2018-04

EAP methods

WPA2™-Personal 2021-01

WPA3™-Enterprise 2020-02

EAP methods

192-bit security

WPA3™-Personal 2020-12

Protected Management Frames

Spectrum & Regulatory

802.11d



Wi-Fi CERTIFIED™ Certificate

Certification ID: WFA114775



Role: Access Point

Page 4 of 4

WPA™-Enterprise

WPA™-Personal

Wi-Fi Agile Multiband™

Automatically populate BSS Transition candidate list
Fast Transition OTA on WPA2-Enterprise
Fast Transition OTA on WPA2-Personal

Wi-Fi CERTIFIED 6™

4 antenna support
A-MPDU with A-MSDU
Beamforming sounding
BSRP Trigger frame
Co-located BSS
Compressed BlockACK Rx
Compressed BlockACK Tx
DL MU-MIMO
DL OFDMA
Individual Target Wake Time
LDPC Rx
LDPC Tx
MCS 8-9 Rx
MCS 8-9 Tx
MCS 10-11 Rx
MCS 10-11 Tx
MU-BAR Trigger frame
MU-RTS Trigger frame
M-BSSID
Operating Mode
SU beamformer
SU-MIMO
UL OFDMA
Wi-Fi 6E
Wi-Fi 6 Release 2 features

Wi-Fi CERTIFIED 6™ (continued)

UL MU-MIMO
UL Extended Range
Target Wake Time information frames
Extended sleep
M-BSSID control frames

Wi-Fi CERTIFIED™ a

Wi-Fi CERTIFIED™ ac

Extended 5 GHz Channel Support
A-MPDU with A-MSDU
DL MU-MIMO
LDPC Rx
LDPC Tx
MCS 8-9 Rx
Short Guard Interval
STBC
SU beamformer

Wi-Fi CERTIFIED™ b

Wi-Fi CERTIFIED™ g

Wi-Fi CERTIFIED™ n

OBSS on Extension Channel
Short Guard Interval
STBC
A-MPDU Tx

Wi-Fi Enhanced Open™ 2021-01